




Outrageously Dependable®

Group Size	Terminal	Part #	Climate	SAE Ratings				Dealer Price	Suggested Retail	List	Free Replace. Months	Performance Warranty Adjustment Price		
				CCA 30 sec./0°F	CA 30sec./32°F	RC min 25amp/80°F	Ah 20 Hr					Based on Suggested Retail Pricing on interstatebatteries.com		
MTP LINE • 30 Months Free / 6 Year Performance**														
												Mths. 31-48	Mths. 49-60	Mths. 61-72
24	A	MTP-24	❄️	750	940	130		99.31	136.95	170.95	30	75.32	102.71	123.26
24F	A	MTP-24F	❄️	750	940	130		99.31	146.95	175.95	30	80.82	110.21	132.26
27F	A	MTP-27F	-	710	890	165		90.24	131.95	159.95	30	72.57	98.96	118.76
35	A	MTP-35	-	640	800	100		89.57	145.95	165.95	30	80.27	109.46	131.36
65	A	MTP-65	❄️	750	940	140		113.81	155.95	177.95	30	85.77	116.96	140.36
65	A	MTP-65HD	❄️	850	1000	150		111.11	170.95	194.95	30	94.02	128.21	153.86
75	S	MTP-75	-	700	875	95		98.74	149.95	170.95	30	82.47	112.46	134.96
75/86DT	DT	MTP-75DT	-	650	810	93		96.1	144.95	165.95	30	79.72	108.71	130.46
78	S	MTP-78	❄️	800	1000	110		107.07	149.95	170.95	30	82.47	112.46	134.96
34/78DT	DT	MTP-78DT	-	800	1000	115		110.87	158.95	189.95	30	87.42	119.21	143.06
96R	A	MTP-96R	-	590	740	95		105.68	133.95	159.95	30	73.67	100.46	120.56
H6 (48)	A	MTP-48/H6	-	730	910	115	70	133.81	166.95	193.95	30	91.82	125.21	150.26
H7 (94R)	A	MTP-94R/H7	-	790	985	130	80	150.81	199.95	228.95	30	109.97	149.96	179.96
H8 (49)	A	MTP-49/H8	-	730	910	175	100	163.09	162.95	220.95	30	89.62	122.21	146.66

WITH NO EXCHANGE, CORE CHARGE WILL APPLY



● Cold ● Hot

Long Life Selection Process

Interstate® batteries deliver long life, supported by a nationwide warranty. The MTZ AGM delivers the longest life for high-electric-load vehicles. Based on our recommendations by climate zones, MTP and MT batteries can achieve longer life with select group sizes.

- ❄️ Longest life in cold to moderate climates (of MTP / MT options) due to higher CCA and RC ratings
- ☀️ Longest life in hot to moderate climates (of MTP / MT options) due to high electrolyte-to-lead ratio
- Climate recommendations do not apply to this battery.



Outrageously Dependable®

Group Size	Terminal	Part #	Climate	SAE Ratings				Dealer Price	Suggested Retail	List	Free Replace. Months	Performance Warranty Adjustment Price			
				CCA 30 sec./0°F	CA 30sec./32°F	RC min 25amp/80°F	AH 20 Hr					Based on Suggested Retail Pricing on interstatebatteries.com			
MT LINE • 24 Months Free / 5 Year Performance**															
													Mths. 25-36	Mths. 37-48	Mths. 49-60
24	A	MT-24	☀	600	750	110		87.5	130.95	151.95	24		72.02	98.21	117.86
24F	A	MT-24F	☀	600	750	110		87.78	129.95	148.95	24		71.47	97.46	116.96
25	A	MT-25	-	550	690	100		83.33	126.95	145.95	24		69.82	95.21	114.26
26	A	MT-26	-	525	655	85		80.94	126.95	145.95	24		69.82	95.21	114.26
26R	A	MT-26R	-	550	690	90		81.05	123.95	141.95	24		68.17	92.96	111.56
27	A	MT-27	-	810	1000	140		98.02	154.95	176.95	24		85.22	116.21	139.46
34	A	MT-34	☀	700	875	120		89.58	134.95	154.95	24		74.22	101.21	121.46
35	A	MT-35	-	550	690	100		83.82	133.95	152.95	24		73.67	100.46	120.56
41	A	MT-41	-	650	810	110		93.61	143.95	165.95	24		79.17	107.96	129.56
42	A	MT-42	-	500	625	75		82.64	129.95	146.95	24		71.47	97.46	116.96
51	A	MT-51	-	500	625	85		81.4	133.95	163.95	24		73.67	100.46	120.56
51R	A	MT-51R	-	500	625	85		81.4	143.95	174.95	24		79.17	107.96	129.56
56	A	MT-56	-	590	740	95		84.56	131.95	149.95	24		72.57	98.96	118.76
58	A	MT-58	-	540	675	80		82.25	131.95	152.95	24		72.57	98.96	118.76
58R	A	MT-58R	-	610	765	100		88.99	133.95	153.95	24		73.67	100.46	120.56
59	A	MT-59	-	590	740	100		91.7	137.95	156.95	24		75.87	103.46	124.16
65	A	MT-65	☀	675	845	130		101.75	150.95	171.95	24		83.02	113.21	135.86
75	S	MT-75	-	650	810	93		92.13	133.95	152.95	24		73.67	100.46	120.56
78	S	MT-78	☀	700	875	120		92.48	136.95	158.95	24		75.32	102.71	123.26
79	S	MT-79	-	840	1000	140		149.09	186.95	214.95	24		102.82	140.21	168.26
86	A	MT-86	-	525	655	90		89.39	133.95	153.95	24		73.67	100.46	120.56
H5 (47)	A	MT-47/H5	-	650	810	100	54	95.58	164.95	192.95	24		90.72	123.71	148.46
H6 (48)	A	MT-48/H6	-	615	770	95	50	111.93	160.95	184.95	24		88.52	120.71	144.86
H8 (49)	A	MT-49/H8	-	900	1000	150	80	126.46	157.95	163.95	24		86.87	118.46	142.16
T8 (93)	A	MT-93/T8	-	800 EN			90	121.93	215.95	246.95	24		118.77	161.96	194.36
46A24L	A	MT-MX-5	-	370	465	45		95.69	143.95	165.95	24		79.17	107.96	129.56
M LINE • 12 Months Free															
24	A	M-24	-	530	660	95		69.61	109.95	125.95	12				
24F	A	M-24F	-	530	660	95		69.6	111.95	130.95	12				
26R	A	M-26R	-	450	560	85		69.41	104.95	125.95	12				
58	A	M-58	-	460	575	60		75.56	111.95	126.95	12				
75	S	M-75	-	550	685	80		81.27	105.95	126.95	12				
75/86DT	DT	M-75DT	-	450	560	75		67.17	105.95	126.95	12				
H6 (48)	A	M-48/H6	-	610	760	95	50	117.17	138.95	153.95	12				
COMMERCIAL SERIES AUTOMOTIVE • 18 Months Free															
24	A	C24-XHD	-	575	720	130		85.01	132.95	146.95	18				
34/78DT	DT	C78DT-XHD	-	800	1000	115		100.32	150.95	167.95	18				
50	A	C50-XHD	-	600	750	108		116.41	203.95	215.95	18				
65	A	C65-XHD	-	750	940	140		102.29	184.95	204.95	18				

WITH NO EXCHANGE, CORE CHARGE WILL APPLY

Specifications subject to change without notice.

All batteries on this sheet are 12-volt batteries for passenger cars and trucks thru 1-ton.

Terminals: **A** automotive, **DT** dual, **S** side

- ☀ Longest life in cold to moderate climates (MT/MTP options) due to higher CCA and RC ratings
- ☀ Longest life in hot to moderate climates (MT/MTP options) due to high electrolyte-to-lead ratio
- Climate recommendations do not apply to this battery

Notes: **A** flat top, **P** handle, **Q** single-port vent, **R** dual-port vent, **V** may need vent tube kit, **T** comes with height adapter

Warranty terms are in your warranty tear pad and published at interstatebatteries.com/warranty. Please lift out proper month and year on the battery label.

* Warranty is non-renewable. 24 months free-replacement in commercial applications.

** 12 months free-replacement in commercial applications.

*** 12 months free-replacement in auxiliary AGM.



Outrageously Dependable®

Group Size	Terminal	Part #	SAE Ratings			Dealer Price	Suggested Retail	List	Free Replacement Months
			CCA 30 sec./0°F	CA 30sec./32°F	RC min 25amp/80°F				
MARINE / RV • 12 Volt									
24DC	M	SRM-24 ¹	550	690	140	81.79	113.95	120.95	12
24DP	M	HD24-DP ¹	405	505	100	72.97	94.95	106.95	12
24MS	M	24M-RD	400	500	75	67.45	94.95	99.95	12
24MS	M	24M-HD	500	625	95	74.8	99.95	105.95	12
24MS	M	24M-XHD	800	1000	135	89.21	122.95	130.95	12
27DC	M	SRM-27 ¹	600	750	160	89.62	121.95	128.95	12
27MS	M	27M-XHD	800	1000	182	99.2	140.95	148.95	12
29DC	M	SRM-29 ¹	675	845	210	102.27	141.95	149.95	12
4DDC	M	SRM-4D ¹	1314	1645	390	172.79	279.95	284.95	6
COMMERCIAL* • 12 Volt									
29H/30H	A	29H-VHD	660	825	160	97.4	146.95	162.95	18
29NF	A	29NF-VHD	420	525	77	84.69	131.95	146.95	6
31A	A	31P-VHD	660	825	160	100.58	147.95	164.95	18
31A	A	31P-LHD	750	940	180	103.66	156.95	173.95	18
31A	A	31P-MHD	950	1190	195	118.9	161.95	179.95	18
31T	T	31-VHD	660	825	160	97.87	144.95	161.95	18
31T	T	31-ECL	700	875	190	104.78	145.95	164.95	18
31T	T	31-LHD	750	940	180	100.94	153.95	170.95	18
31T	T	31-MHD	950	1190	195	116.23	158.95	176.95	18
3EE	A	3EE-VHD	400	500	90	103.79	132.95	147.95	6
3ET	A	3ET-VHD	460	575	105	105.58	141.95	156.95	6
4D	A	4D-XHD	1000	1250	295	163.21	234.95	266.95	6
4DLT	A	4DLT-VHD	860	1075	235	127.78	198.95	220.95	6
8D	A	8D-XHD	1155	1445	380	180.44	239.95	292.95	6
8D	A	8D-MHD	1400	1750	450	187.6	272.95	310.95	6
COMMERCIAL* • 8 Volt									
	A	1-8V-VHD	520	650	100	104.33	169.95	177.95	6
COMMERCIAL* • 6 Volt									
1	A	1-VHD	640	800	130	94.81	155.95	163.95	6
2	A	2-XHD	610	765	160	100.48	136.95	152.95	6
3EH	A	3EH-VHD	875	1095	250	101.93	136.95	152.95	6
4	A	4-XHD	1000	1250	295	88.51	137.95	153.95	6
LAWN & GARDEN • 12 Volt									
22F	A	SP-22F	450	560	75	69.64	109.95	125.95	6
22NF	A	SP-22NF	390	490	62	65.38	88.95	101.95	6
45	A	SP-45	480	600	74	74.54	105.95	122.95	6
70	S	SP-70	525	655	85	69.88	103.95	119.95	6
U1	X	SP-18	190	235	17	35.28	32.95	45.95	6
U1	X	SP-30	250	310	25	35.32	45.95	63.95	6
U1	X	SP-35	300	375	34	44.69	49.95	59.95	6
U1	X	SP-40	350	435	38	54.3	52.95	75.95	6
U1R	X	SP-30R	250	310	25	35.31	45.95	63.95	6

WITH NO EXCHANGE, CORE CHARGE WILL APPLY



Outrageously Dependable®

Group Size	Terminal	Part #	SAE Ratings				Dealer Price	Suggested Retail	List	Free Replacement Months
			CCA 30 sec./0°F	RC min 25amp/80°F	RC min 75amp/80°F	Ah 20 Hr				
GOLF CAR ⁽³⁾ • 6 Volt										
GC2	UTL	GC2-ECL ²	-	447	115	225	103.91	153.95	197.95	12
GC2	UT	GC2-ECL ²	-	447	115	225	103.91	153.95	197.95	12
GC2	S	GC2-ECL ²	-	447	115	225	104	153.95	197.95	12
GC2	UTL	GC2-HCL ²	-	383	105	210	88.02	142.95	158.95	12
GC2	UT	GC2-HCL ²	-	383	105	210	88.02	142.95	158.95	12
GC2	UTL	GC2-HCL ²	-	383	105	210	88.02	142.95	158.95	12
GC2	UT	GC2-HCL ²	-	383	105	210	88.02	142.95	158.95	12
GC2	UTL	PF-GC2 ²	-	383	105	210	78.29	131.95	139.95	6
GC2	UTL	GC2HC	-	448	132	242	131.38	167.95	202.95	6
GC2	UT	GC2HC	-	530	145	251	131.38	192.95	232.95	6
GC2	S	GC2HC	-	448	132	242	132.26	167.95	202.95	6
GC2	UTL	GC2XHC	-	530	145	251	153.23	192.95	232.95	6
GC2	UT	GC2XHC	-	448	132	242	150.99	167.95	202.95	6
GC2	S	GC2XHC	-	530	145	251	150.99	192.95	232.95	6
GOLF CAR ⁽³⁾ • 8 Volt										
GC8	UTL	GC8-HCL ⁴	-	295	117@56A	170	120.34	170.95	202.95	12
GC8	UT	GC8-HCL ⁴	-	295	117@56A	170	120.35	170.95	202.95	12
GC8	UTL	PF-GC8 ⁴	-	277	110@56A	160	101.07	166.95	174.95	6
GOLF CAR ⁽³⁾ • 12 Volt										
GC12	UTL	GC12-HCL	-	280	70	150	175.84	274.95	314.95	12

WITH NO EXCHANGE, CORE CHARGE WILL APPLY

Prices and specifications subject to change without notice.

Terminals (standard terminal listed first): **A** automotive, **B** bus (3/8" threaded studs), **C** bus (1/2" pos. stud, 3/8" neg. stud), **DT** dual, **L** L-shaped bracket with hole, **M** marine, **S** auto post with horizontal hole, **T** threaded stud, **UT** threaded stud over auto post, **UTL** threaded stud over low-profile auto post, **X** L with flag nut & bolt

Part Key: **RD** regular duty, **VHD** very heavy duty, **XHD** extra heavy duty, **LHD** long haul duty, **MHD** mega heavy duty, **ECL** extreme cycle life, **HCL** heavy duty cycle life

* Trucks over 1-ton and other equipment.

1 Deep cycle and cranking 2 Non-renewable warranty. 24 months in APU and non-starting applications. 3 Deep cycle

For Warranty Adjustments on Batteries SOLD on or AFTER **MAY 1, 2012**

Warranty terms are in your warranty tear pad and published at interstatebatteries.com/warranty. Please lift out proper month and year on the battery label.



Outrageously Dependable®

Optima Price Sheet

Group Size	Terminal	Part #	SAE Ratings			Dealer Price	Suggested Retail	List	Warranty Free Months
			CCA 30 sec./0°F	RC min 25amp/80°F	CA 30sec./32°F				
AUTOMOTIVE • 6 Volt									
A-6V	A	SC6A	800	100	1000	161.81	212.95	236.95	36
AUTOMOTIVE • 12 Volt									
25	A	SC25A	720	90	910	149.72	245.95	272.95	36
34	A	SC34A	800	100	1000	172.65	250.95	278.95	36
34/78DT	DT	SC34DU*	750	120	870	203.53	296.95	329.95	36
34/78DT	DT	SC34U	800	100	1000	172.67	250.95	278.95	36
34R	A	SC34R	800	100	1000	172.88	250.95	278.95	36
35	A	SC35A	720	90	910	149.72	244.95	271.95	36
35	A	SC35DA*	620	100	770	183.99	284.95	315.95	36
75/25DT	DT	SC75U	720	90	910	150.28	245.95	274.95	36
75/25DT	DT	SC75DU*	620	100	770	184.51	284.95	315.95	36
MARINE • 12 Volt									
31DP	M	SC31DM*	900	155	1125	232.75	347.95	386.95	24
34	M	SC34DM*	750	120	870	203.2	291.95	323.95	24
34	M	SC34M	800	100	1000	172.93	262.95	292.95	24
COMMERCIAL • 12 Volt									
31DP	A	SC31DA*	900	155	1125	232.94	360.95	395.95	24
31DP	T	SC31DS*	900	155	1125	232.94	360.95	395.95	24

WITH NO EXCHANGE, CORE CHARGE WILL APPLY

Prices and specifications subject to change without notice.

* Deep Cycle

Terminals: A automotive, DT dual, M marine, S side, T threaded stud, V threaded stud on auto, X L, flag nut & bolt

Warranty terms are included in the Interstate Battery Replacement Guide .

US 03-2018 Updated 01-2018

©2018 INTERSTATE BATTERIES